

## NEW SORBENT TECHNOLOGY

### COLDFORM™ PADS AND ROLLS - NATURAL

Cold Form natural sorbents offer outstanding absorbency and durability at an unheard of value. Each product is constructed from a single layer of extremely fine natural fibers that are point-bonded together. Its performance is enhanced by the addition of proprietary chemistry and minimal use of synthetic fibers. Oil only are offered in natural white with additives that maximize the fibers' water repulsion, flame resistance and protect against microbes such as mold. Universal sorbents are offered in gray and have similar additives to enhance their performance.

#### NATURAL WHITE OIL ONLY

Product Code	Weight	Size	Units/Case	Qty/Pallet
C100	Pads Heavy	16x18	100	30
EC100	Pads Medium	16x18	100	36
EC200	Pads Light	16x18	200	30
CR150	Rolls Heavy	28x150	1	18
CSR150	Split Rolls Heavy	14x150	2	18
CER150	Rolls Medium	28x150	1	18
CESR150	Split Rolls Medium	14x150	2	18

#### GREY UNIVERSAL

Product Code	Weight	Size	Units/Case	Qty/Pallet
UC100	Pads Heavy	16x18	100	30
UEC100	Pads Medium	16x18	100	36
UC200	Pads Light	16x18	200	30
UCR150	Rolls Heavy	28x150	1	18
UCRS150	Split Rolls Heavy	14x150	2	18
UCER150	Rolls Medium	28x150	1	18
UCESR150	Split Rolls Medium	14x150	2	18



### COLDFORM™ PADS AND ROLLS - LAMINATED

This laminated product line is one of the toughest sorbent on the market. The heavy-weight spun bond cover stock is extremely abrasion resistant and almost lint-free. Constructed by bonding outer layers of heavy and very tough polypropylene spun bond to a high-loft core. The core is manufactured so that it will not fall out even if the outer coverings are torn. Ideal for environmental applications that demand extreme durability and high absorbency in demanding situations.

#### WHITE OIL ONLY

Product Code	Weight	Size	Units/Case	Qty/Pallet
QP100	Pads Heavy	16x18	100	30
QEP100	Pads Medium	16x18	100	36
QP200	Pads Light	16x18	200	30
QR150	Rolls Heavy	28x150	1	18
QRS150	Split Rolls Heavy	14x150	2	18
QER150	Rolls Medium	28x150	1	18
QESR150	Split Rolls Medium	14x150	2	18

#### GREY - UNIVERSAL

Product Code	Weight	Size	Units/Case	Qty/Pallet
UQP100	Pads Heavy	16x18	100	30
UQEP100	Pads Medium	16x18	100	36
UQP200	Pads Light	16x18	200	30
UQR150	Rolls Heavy	28x150	1	18
UQSR150	Split Rolls Heavy	14x150	2	18
UQER150	Rolls Medium	28x150	1	18
UQESR150	Split Rolls Medium	14x150	2	18



Represented by: Eco-Safe Solutions (David Lee)  
1118 Silverfox Court • Oshawa, ON • L1K 2T9  
Tel (905) 725-6918 • Fax (905) 725-0871


E-mail: [dlee@ecosafesolutions.ca](mailto:dlee@ecosafesolutions.ca) • Web: [www.ecosafesolutions.ca](http://www.ecosafesolutions.ca)

## PADS, ROLLS AND BOOMS

### UNIVERSAL/CHEMICAL SORBENTS

Universal/Chemical sorbents are designed to pick-up aggressive hydrocarbon (oil and water) spills. Suitable for non-aggressive acids, caustics, coolants, solvents, water and solutions.

Item	Description	Size	Weight	Pkg. Qty
UP118	Pads	15"x18"	Heavy	100/cs
UP200G	Pads	15"x18"	Light	200/cs
UP118-9	Pads	15"x18"	Medium	100/cs
UR136	Rolls	30"x150'	Heavy	1/cs
UR118S	Rolls	15"x150'	Heavy	1/cs
UR136-9	Rolls	30"x150'	Medium	1/cs
UR118-9	Rolls	15"x150'	Medium	2/cs
UB510	Booms	5"x10'		4/cs
MOPU3048	Socks	3"x4'		30/cs
MOPU10120	Socks	3"x120"		10/cs
SPU818-20	Pillows	8"x18"		20/cs
SPU1818-10	Pillows	18"x18"		10/cs
<b>GENERAL PURPOSE SOCKS</b>				
GP3048	Socks	3"x48"		30/cs
GP10120	Socks	3"x120"		10/cs



## PADS AND ROLLS

### LAMINATED AGGRESSIVE PADS & ROLLS

These pads and rolls will absorb all liquids from water based fluids to aggressive acids. An absolute necessity for any haz mat spill or spill contingency planning. Both are bonded for tensile strength and absorb 25 times their weight in all liquids.

Item	Description	Size	Weight	Pkg. Qty
UQ100	Universal Pads	15"x18"	Heavy	100/cs
UEQ100	Universal Pads	15"x18"	Medium	100/cs
UQ150	Universal Roll	30"x150'	Heavy	1/cs
UQ150S	Universal Split Roll	15"x150'	Heavy	2/cs



# GRANULARS



## SPEEDIKLEEN

SpeediKleen Premium Oil Absorbent is an all-purpose absorbent designed for the quick clean-up of water, oil and grease. Made from diatomaceous earth, a naturally occurring mineral with superior absorption ability, this high quality product delivers 50% more absorbency per pound than clay alternatives. SpeediKleen premium Oil Absorbent is available in a leak-resistant, moisture-proof polybag.

Part #: HD2205 - 20 lbs/bag, 75 bags/skid

## CANSORB

Cansorb is a fast acting 100% Organic Oil Absorbent. Picks-up 8-12 times its weight in hydrocarbons on land and water. An approved sorbent for leaks and spills in chemical, automotive, and steel facilities, as well as pulp & paper and food processors. Used by professional responders for over 30 years.

Part #: CB20 - 20lbs/bag, 30 bags/skid


Part #: LFB5 - 5lbs/bag, 8 bags/case



## OIL GATOR

Oil Gator stops the leaching of spills into the soil or groundwater using nature's methods and materials - Contains natural ingredients necessary to accelerate microbes to a point where they will rapidly degrade unwanted hydrocarbons. Absorbs up to six times its weight in oil or oil-based products.

Part #: GATOR30 - 30lbs/bag, 50 bags/skid



## CHEETAH SORB



Cheetah Sorb is an oil absorbent that is dust free, highly absorbent and incinerable. Packaged in a loose, particulate form, it's environmentally friendly but also a better performing, more economic sorbent than either clay or sawdust. Acts like a sponge to instantly begin absorbing a broad range of non-aggressive liquids such as oil- and water-based fluids, cutting fluids, coolants and many other hazardous/problem liquids from spills and leaks.

Part #: TS20 - 20lbs/bag, 70 bags/skid

## SPILL KITS - CUSTOM KITS AVAILABLE

### 45 GALLON SPILL KIT

**Includes:**

- 50 sorbent pads
- 3 sorbent booms - 5" x 120"
- 5 sorbent socks - 3" x 48"
- 1 bag granular absorbent
- 1 neoprene drain cover - 36" x 36"
- 5 disposal bags
- 1 retractable shovel
- 2 pairs of safety goggles
- 2 pairs of nitrile gloves
- 2 Tyvek suits

CSK-F45 - Oil Only  
 CSKU-F45 - Universal  
 CSKH-F45 - Hazmat



### 60 LITRE SPILL KIT

**Includes:**

- 20 sorbent pads
- 3 sorbent socks - 3" x 48"
- 2 sorbent pillows - 8" x 18"
- 2 disposal bags - 26" x 36"
- 1 pair of safety goggles
- 1 pair of nitrile gloves

Oil Only

- ASK-20-O - 24 x 36" Poly bag
- ASK-20-ON - Red Nylon bag
- ASK-20-OP - Blue 14 gallon pail

Universal/Chemical

- ASK-20-U - 24 x 36" Poly bag
- ASK-20-UN - Red Nylon bag
- ASK-20-UP - Blue 14 gallon pail



### 95 GALLON SPILL KIT



(option: mobile 95gallon overpack)

**Includes:**

- 50 sorbent pads
- 3 sorbent booms - 5" x 120"
- 5 sorbent socks - 3" x 48"
- 1 bag granular absorbent
- 1 neoprene drain cover - 36" x 36"
- 5 disposal bags
- 1 retractable shovel
- 2 pairs of safety goggles
- 2 pairs of nitrile gloves
- 2 Tyvek suits

CSK-F95 - Oil Only  
 CSKU-F95 - Universal  
 CSKH-F95 - Hazmat

### 250L OUTDOOR SPILL KIT

**Includes:**

- 1 spill cart 42"x30"x29"
- 100 sorbent pads
- 4 sorbent socks, 3"x120"
- 4 sorbent socks, 3"x48"
- 4 sorbent pillows, 18"x18"
- 1 bag of SpeediKleen
- 1 drain cover, 36"x36"
- 3 disposal bags
- 2 pairs of safety goggles
- 2 pairs of nitrile gloves

CSK-F250 - Oil Only  
 CSKU-F250 - Universal  
 CSKH-F250 - Hazmat



(optional casters available)

## OVERPACKS & DISPENSING

### Poly-Dolly

Product #: 5300-YE  
 Dimensions 69"lx32.5"wx26.5"h  
 175cmx82cmx67cm  
 Weight 92lbs/41.4kg  
 Load Bearing  
 Capacity UDL 600lbs/270kg  
 Sump Cap 80gal/304liters  
 Regulations EAP 40 CFR 264.175



Product #: 5300-YE-A - Poly-Dolly A TD

### Universal Poly-Drum Funnel

Fits both closed-head and open-head 55 gallon drums, and other containers. Features include patented scalloped design, high side wall and bung fitting holders. The Safety Funnel has all the same features plus a non-sparking safety bung closure with flame arrestor. The optional lockable Poly-Drum Funnel Cover (lock not included) is also available with all hardware and instructions included.



3004-YE Universal Poly Drum Funnel  
 3004-YE-SF Universal Poly Drum Funnel, Safety Funnel  
 3040-YE Universal Poly Drum Funnel Cover

### Drums-Up & Drums-Up Jr.

Drums-Up and Drums-Up Jr. let you control nuisance spills. Drums-Up has sump capacity of 19.5 gallons for 55 gallon drums and Drums-Up Jr has sump capacity of 7.5 gallons for 16 gallon drums and 5 gallon pails.

8091-YE Drums-Up  
 8200-YE Drums-Up Jr.





## POLY-SPILL PALLETS

### Poly-SpillPallet 2000

This secondary containment system is engineered to meet the rigors of today's regulatory environment. With 100% polyethylene, it provides excellent chemical resistance. Optional tarp for outdoor storage and drain hole with plug available.



### Low-Profile In-Line Poly-SpillPallet 3000

Storing drums in-line near the wall, between columns, and in all those spaces you thought were unusable. Optional tarp for outdoor storage, and optional drain.

- holds four 55 gallon drums
- low 12" profile
- holds up to 3,000 lbs UDL wt.
- raised edge on back and sides helps orient barrels on pallet
- non-skid, removable grates
- 66gallon sump capacity meets EP A 40 CFR 264.175



### Poly-Slim-Line 6000

Poly-Slim-Line 6000 offers all of the same advantages as our Poly-SpillPallet 6000 ... and more! This addition to our pallet family features a low, 12" profile and a UDL load bearing capacity of 6,000lbs. Optional drain.



### Poly-SpillPallet 6000

Rated at 6,000lbs UDL weight with a 85 gallon sump capacity that meets EPA 40 CFR 264.175. Square 50"x50" footprint saves space yet easily holds four 55 gallon drums. Includes the same rugged features at the 2000. Forkliftable from all sides. Optional drain.



	POLY-SPILLPALLET 2000	IN-LINE POLY -SPILLPALLET 3000	POLY-SLIM-LINE 6000	POLY-SPILLPALLET 6000
Product #:	5253-YE, 5253-YE-D w/drain	5102-YE, 5102-YE-D w/drain	5400-YE, 5400-YE-D w/drain	5001-YE, 5001-YE-D w/drain
Dimensions:	53.5"lx29"wx17"h 136cmx74cmx43cm	98"lx25.25"wx12"h 249cmx64cmx30cm	54"lx54"wx12"h 137cmx137cmx30cm	50"lx50"wx17"h 127cmx127cmx43cm
Weight	63lbs/28.35kg	80lbs/36kg	91lbs/41kg	88lbs/40kg
Load Bearing				
Capacity UDL	2000lbs/900kg	3000lbs/1350kg	6000lbs/2700kg	6000lbs/2700kg
Sump Cap	58gal/220.4liters	66gal/250.8liters	66gal/250.8liters	83gal/315.4liters
Regulations	EPA 40 CFR 264.175	EPA 40 CFR 264.175	EPA 40 CFR 264.175	EPA 40 CFR 264.175
Optional Ramp	5039-BK	5039-BK	5039-BK	5039-BK
Ramp Extender	5038-BK			5038-BK

Represented by: Eco-Safe Solutions (David Lee)  
1118 Silverfox Court • Oshawa, ON • L1K 2T9  
Tel (905) 725-6918 • Fax (905) 725-0871

E-mail: [dlee@ecosafesolutions.ca](mailto:dlee@ecosafesolutions.ca) • Web: [www.ecosafesolutions.ca](http://www.ecosafesolutions.ca)

## PALLETS



### 2-, 4-, 6- AND 8-DRUM WORKSTATIONS

Workstations are the easiest to load with low profile design and optional ramp. One-piece construction optimizes space for increased durability, safety and efficiency. With ample sump capacity in each Workstation, this secondary containment product is perfect for a dispensing station or work center. Each Workstation is designed for stand alone use or combines with other Workstations for a customized work area. The rolled-edge design helps resist cracking and warpage.

tough polyethylene construction, cannot rust or corrode

low profile workstations actually become part of your factory floor, optimizing space for increased safety and efficiency. Make drum loading a snap.

large sump capacity catches incidental spills

multi-purpose work ramp hooks onto any workstation for easy loading

heavy-duty removable structural foam grates for easy cleaning

	8 DRUM WORKSTATION	6 DRUM WORKSTATION	4 DRUM WORKSTATION	2 DRUM WORKSTATION	MULTI-PURPOSE WORKRAMP
Product #:	5110-YE	5115-YE	5116-YE	5117-YE	5111-BK
Dimensions:	100"l x 53.25" w x 6" h 254cmx135cmx15cm	76.5"l x 53" w x 6" h 194cmx135cmx15cm	52.5"l x 53" w x 6" h 133cmx135cmx15cm	53"l x 28.5" w x 6" h 135cmx72cmx15cm	25.5"l x 48" w x 6.25" h 65cmx122cmx16cm
Weight	139lbs/62.55kg	104lbs/47kg	73lbs/32.85kg	40lbs/18kg	30lbs/13.5kg
Load Bearing					
Capacity UDL	8000lbs/3600kg	7000lbs/3150kg	6000lbs/2700kg	2400lbs/1080kg	1000lbs/450kg
Sump Cap	77gal/292.6liters	61gal/231.8liters	43gal/163.4liters	22gal/83.6liters	
Regulations	EAP 40 CFR 264.175	EPA 40 CFR 264.175			

Represented by: Eco-Safe Solutions (David Lee)  
1118 Silverfox Court • Oshawa, ON • L1K 2T9  
Tel (905) 725-6918 • Fax (905) 725-0871

E-mail: [dlee@ecosafesolutions.ca](mailto:dlee@ecosafesolutions.ca) • Web: [www.ecosafesolutions.ca](http://www.ecosafesolutions.ca)

## DISPENSING SOLUTIONS

### Poly-Rack System

The Poly-Racker is a unique one-piece polyethylene rack that holds two 55 gallon drums securely in place. Sump capacity is 100 plus gallons which ensures spill safety even in worst-case drum leaks. The dispensing well easily holds 5 gallon pails while containing incidental spills and splashes in a ribbed bottom without contaminating the sump. Combine a single Poly-Stacker to stack up to four drums. Each Poly S tacker holds two 55 gallon drums and can be quickly stacked with any forklift. Any spills from second or third levels fall into the dispensing well. The Poly Shelf easily attaches to a Poly Stacker and a hole in the bottom of the Poly Shelf drains into the dispensing well in the Poly Racker

6000-YE	Poly Racker, 49"x52.5"x22.5"
6002-YE	Poly Stacker , 49"x48"x13"
6003-YE	Poly Shelf, 17"x22"x17.5"



### Single Poly-Rack System

Economical, space-saving solution to storing and dispensing from 55 gallon drums. The system consists of separate single Poly-Racker, single Poly Stacker, Universal Well Liner and Poly Shelf. The Poly Stacker allows for stacking of second 55 gallon drum. The system holds 1600lbs and the Poly-Racker features a 66 gallon sump capacity.

6006-YE	Single Poly Racker, 31"x53"x32"
6007-YE	Single Poly Stacker , 31"x40.5"x20"





## FACILITY PROTECTION

### Drain Protection

The Drain Protector II (red) is a **NEW** reversible product constructed of a solid tacky urethane product with no fillers that delivers a tough, durable seal using either side. Due to its lighter weight, it can be used quickly for emergency chemical spills.

DESCRIPTION	Part Number
Square 18"x18"	DC-18A
Square 24"x24"	DC-24A
Square 36"x36"	DC-36A
Square 42"x42"	DC-42A
Square, 48"x48"	DC-48A
Rectangular 18"x60"	DC-1860A
Circular 12"	DC-12AR
Circular 20"	DC-20AR
Circular 30"	DC-30AR
Square 36"x36"	DC36 (neoprene)
Square 48"x48"	DC48 (neoprene)



### Roof Leak Diverter

This large, vinyl-coated fabric catches roof leaks and channels them to standard hose hook-up. Hose can then be directed to proper drainage point. Lightweight flame retardant material. Heavy-duty D-rings securely attached in each corner make installation quick and easy.

Part #: 2525, 2.5' x 2.5'  
 LD38, 3' X 8'  
 1785, 5' X 5'  
 LD510, 5' X 10'  
 LD515, 5' X 15'  
 1787, 10' X 10'  
 1789, 15' X 15'



### Pipe Leak Diverter

Keep fluid leaks off the floor eliminating slip hazards and exposure. 18"H and 18" dia. Opening. Bottom fitting connects to a standard garden hose. Rugged, 18oz coated vinyl construction. Includes bungee cords and hooks for quick installation.

Part #: 1780



## OUTDOOR STORAGE

### 2-Drum Hardcover & Spill Pallet

Ideal for indoor/outdoor storage of up to two 55 gallon drums. Roll-top design allows for use in limited space or next to buildings where swing-open doors would be a problem. Top or front/rear loadable. Lockable door. Used in conjunction with Poly SpillPallet 2000 (5253-YE). Optional ramp and drain.

4062-YE	2-Drum Hardcover
4062-YE-D	2 Drum Hardcover with drain
5039-BK	Poly-Ramp
5038-BK	Ramp Extender



### 4-Drum Hardcover & Spill Pallet

A sturdy solution to indoor/outdoor storage of up to four 55 gallon drums. Weatherproof! Roll-top design allows it to be used in limited space or next to building where swing-open doors would be a problem. Takes up less than 25 square feet of floor space. Allows ample room for drum pumps. Used in conjunction with Poly-Slim-Line 6000 (5400-YE). Optional ramp and drain.

4064-YE	4-Drum Hardcover
4064-YE-D	4 Drum Hardcover with drain
5039-BK	Poly-Ramp



### Poly-Safetypack Plus

This tough, indoor or outdoor performer protects two 55 gallon drums while containing leaks with a 270 gallon sump capacity. Drum access and removal is easy with the unique gull-wing covers. Items inside are protected from the weather with a unique slide-over lid design. The 54.25" inside height allows the lids to be closed with the pumps in place to create a versatile pumping station where the convenience of leaving the pumps installed is important.

2077-YE	Poly-SafetyPack Plus
2077-YE-D	Poly-SafetyPack Plus with Drain



### IBC HardTop

The upper roll-top door and lower swing-out doors combine to allow easy and convenient access to IBC. Safely stores an IBC tank with maximum dimensions of 52"x52"x61". This low profile (28" height) allows safe material handling and dispensing. 360 gallon containment sump. Forkliftable, lockable, all-polyethylene design will not rust or corrode.

1162	IBC HardTop
1161	IBC HardTop with Drain



Represented by: Eco-Safe Solutions (David Lee)  
1118 Silverfox Court • Oshawa, ON • L1K 2T9  
Tel (905) 725-6918 • Fax (905) 725-0871

E-mail: [dlee@ecosafesolutions.ca](mailto:dlee@ecosafesolutions.ca) • Web: [www.ecosafesolutions.ca](http://www.ecosafesolutions.ca)

## CYLINDER PRODUCTS

### 6-Pack Cylinder Rack

Maximize floor space while eliminating clutter and safety hazards by properly storing your industrial cylinders. Efficiently sized to easily move through standard doorways. Forkliftable. Handles cylinders 3" to 10" diameter. Add optional lower strap to bottom for extra security.

7202-YE	6-Pack Cylinder Rack, 48"L x 31"W x 41"H
7204-BK	Caster Frame, 33.5"L x 31.5"W x 4.5"H
7203-BK	Ramp, 46"L x 20"W x 6"H



### Poly-Cylinder Modular Bumper Bracket

For modular flexibility, design your own configuration to hold one, two or three cylinders. Attaches to any wall securely and easily. Accommodates cylinders from 3" to 10" in diameter. Saves on wall space.

7215-YE	Center Section	16"L x 4"W x 4"H
7214-YE	End Cap	16"L x 4"W x 4"H



### Poly-Cylinder Bumper Brackets

Choose from single or double cylinder design. Bumper brackets easily and securely attach to any wall. Both models accommodate cylinders with diameters 3" to 10".

7211-YE	Single	15"L x 4"W x 3"H
7210-YE	Double	24"L x 4"W x 3"H



### Dual-Cylinder Dolly

The Dual Cylinder Dolly is designed to be a more functional, maneuverable and better balanced transporter for gas cylinder than conventional dollies or forklifts. Ideal for industrial or construction operations, the Dual Cylinder Dolly accommodates any two cylinders each up to 12" in diameter. Lightweight and durable polyethylene construction and effective counter balancing makes it easy to handle with a minimum of physical effort.

7302-BK	Dual-Cylinder Dolly, 36.5L x 26.25" x 45.2"H
---------	--



### Single-Cylinder Dolly

Half the size of the Dual-Cylinder Dolly. Designed for demanding industrial facilities or tough outdoor applications in which transport of a single cylinder is required. Accommodates one cylinder, up to 12" in diameter. Pneumatic wheels standard on 7301-BK-A to maximize maneuverability over rough terrain.

7301-BK	Single Cylinder Dolly
7301-BK-A	Single Cylinder Dolly A TD



### Poly-Stand Gas Cylinder

Ideal for inexpensive wall-mounted storage. Accommodates two cylinders with diameters of 3" to 12 3/8".

7212-YE	2-Cylinder Poly Stand 28"L x 14"W x 30"H
---------	---



# PROTECT OUR ENVIRONMENT

This page intentionally left blank.